

CS639 Deep Learning for NLP

Introduction to Natural Language Processing

Junjie Hu



Slides adapted from Noah, Yulia, Graham, Chris
<https://junjiehu.github.io/cs639-spring26/>


Agenda

- Introduction of NLP and languages
- Why is NLP hard?
- Roadmap of the lectures
- Class logistic

What is NLP?

- $NL \in \{\text{Chinese, English, Spanish, Hindi, ...}\}$
- \mathcal{R} : *intermediate meaning representations*
- Automation of:
 - **Analysis** or Interpretation of what a text means ($NL \rightarrow \mathcal{R}$)
 - **Generation** of fluent, meaningful text
 - **Acquisition** of these capabilities from knowledge and data

What is NLP?







Why NLP?


- Technology to handle human language (usually text) using computers
- Aid **human-human communication** (e.g., machine translation)
- Aid **human-machine communication** (e.g., question answering, dialog systems)
- **Analyze/generate language** (e.g., syntactic analysis, text classification, entity/relation recognition/linking)

Language Technologies

- We now use NLP several times a day, sometimes without knowing it!



NLP can Answer our Questions



how many lakes does Madison have?

All Images News Shopping Web Videos Maps : More Tools

◆ AI Overview

Madison, Wisconsin has **five lakes**: Lake Mendota, Lake Monona, Lake Waubesa, Lake Kegonsa, and Lake Wingra. [↗](#)

Here's some more information about some of these lakes: [↗](#)


Lake Mendota

The largest of the five lakes, and the eighth largest in Wisconsin. It's the northernmost of the four major lakes in the area. The UW-Madison campus and the Lakeshore Nature Preserve are located on the south shore of Lake Mendota. [↗](#)

Show more ▾

five lakes

Madison's Lakes - There are **five** lakes that make up Madison's waterways.



Obtained on Sept 4, 2024

NLP can Answer our Questions

- What does “divergent” mean?
- What year was Abraham Lincoln born?
- How many states were in the United States that year?
- How much Chinese silk was exported to England in the end of the 18th century?
- What do scientists think about the ethics of human cloning?



IBM Watson won Jeopardy! Champions in early 2011

NLP can Translate Text

The screenshot shows the Google Translate web interface. At the top, there are two tabs: 'Text' (selected) and 'Documents'. Below the tabs, there are language selection menus. The source language is set to 'ENGLISH' and the target language is 'CHINESE (SIMPLIFIED)'. The main content area is split into two columns. The left column contains the English text: 'Madison is the capital of the U.S. state of Wisconsin and the seat of Dane County. As of the 2020 census the population was 269,840 which made it the second-largest city in Wisconsin by population, after Milwaukee, and the 80th-largest in the United States. The city forms the core of the Madison Metropolitan Area which includes Dane County and neighboring Iowa, Green, and Columbia counties for a population of 680,796. Madison is named for American Founding Father and President James Madison.' The right column contains the Chinese translation: '麦迪逊是美国威斯康星州的首府，也是戴恩县的所在地。截至 2020 年人口普查，人口为 269,840，使其成为威斯康星州人口第二大城市，仅次于密尔沃基，在美国排名第 80。该市是麦迪逊都会区的核心，包括戴恩县和邻近的爱荷华县、格林县和哥伦比亚县，人口达 680,796 人。麦迪逊以美国国父和总统詹姆斯麦迪逊的名字命名。'. Below the Chinese text is the pinyin: 'Màidí xùn shì měiguó wēisīkāngxīng zhōu de shǒufǔ, yěshì dài ēn xiàn de suǒzàidì. Jiézhì 2020 nián rénkǒu pǔchá, rénkǒu wèi 269,840, shǐ qí chéngwéi wēisīkāngxīng zhōu'. At the bottom of the interface, there are icons for voice input/output, a character count '496 / 5,000', and a 'Show more' link. There are also icons for copy, share, and a star.

[Send feedback](#)

English Wikipedia, translated by Google Jan. 25, 2022

NLP can Translate Text


The image is a collage illustrating NLP translation capabilities. It features three overlapping screenshots of the City of Madison website, each translated into a different language: Chinese (Simplified), Japanese, and Portuguese. The Chinese and Japanese versions show the website's navigation and content translated into their respective languages. The Portuguese version shows a sign that reads 'ESTRADA DESMORONADA' and 'DESVIO', which is being translated by a smartphone app into English as 'ROAD COLLAPSED' and 'DIVERSION 2km'. The background of the collage is a photograph of a hand holding a smartphone, with the phone's screen displaying the translation of the sign. The overall theme is the application of NLP to translate both text and images.


Translate webpages
or even images!!

NLP can Chat with You

Conversational agents:

- Speech recognition
- Language analysis
- Dialogue processing
- Information retrieval
- Text to speech




works with the
Google Assistant




I just try to be the best me I can be

am I smart

You're as smart as Grace Hopper. She invented the first ever computer 🖥️



LLMs can be prompted with language instructions



- ChatGPT may save our time on text editing.

Please write a job post for the research scientist for my NLP group at UW-Madison. We are looking for one post-doctoral research scientist for an NSF funding project. The project is related to the development of preference alignment algorithms for large language models. The candidate should have a PhD degree in computer science or related fields. Candidates with a strong math background and coding capability will be preferred.

< 3/3 >



Job Posting: Post-Doctoral Research Scientist Position at UW-Madison

The Natural Language Processing (NLP) Research Group at the University of Wisconsin-Madison invites applications for a Post-Doctoral Research Scientist position. This position is part of an exciting NSF-funded project focusing on the development of preference alignment algorithms for large language models.

Position Overview

We are seeking a talented and highly motivated post-doctoral research scientist to contribute to cutting-edge research at the intersection of NLP, machine learning, and preference modeling. The successful candidate will work on designing, implementing, and evaluating algorithms that enable better preference alignment in large language models, helping to advance the state of the art in this rapidly growing field.

Key Responsibilities

- Conduct original research in preference alignment algorithms for large language models.
- Develop novel methodologies to enhance alignment between model outputs and human preferences.
- Collaborate with a dynamic research team to publish in top-tier conferences and journals.
- Contribute to open-source projects and share findings with the broader NLP community.

Qualifications

- **PhD** in Computer Science, Machine Learning, Artificial Intelligence, or a related field.

NLP

- **Applications**


- Machine translation
- Information retrieval
- Question answering
- Dialogue systems
- Information extraction
- Summarization
- Sentiment analysis
- ...

- **Core technologies**

- Language modeling
- Part-of-speech tagging
- Syntactic parsing
- Named entity recognition
- Coreference resolution
- Word sense disambiguation
- Semantic role labelling
- ...



Levels of Linguistic Knowledge

- What dose an NLP system need to “know” a language?



Phonetics, Phonology

- Study how humans produce and perceive **sounds**, or in the case of **sign languages**, the equivalent aspects of **sign**



Orthography (Writing Systems)

- Thai script:
 - ลูกศิษย์วัดกระตังยั้งยื่นปิดถนนทางขึ้นไปนมัสการพระบาทเจ้าศิษย์มกุฎ หวิดปะทะกับเจ้าถิ่นที่ออกมาเผชิญหน้าเพราะเดือดร้อนสัญจรไม่ได้ ผวจ.เร่งทุกฝ่ายเจรจา ก่อนที่ชื่อเสียงของจังหวัดจะเสียหายไปมากกว่านี้ พร้อมเสนอหยุดจัดงาน 15 วัน....
- Latin script:
 - The Latin script, also known as Roman script, is an alphabetic writing system based on the letters of the classical Latin alphabet.
- Arabic script:
 - لم تعترف منظمة الأمم المتحدة باللغة العربية رسمياً إلا في 18 ديسمبر عام 1973، بعد محاولات مضنية من قادة الدول العربية للاعتراف باللغة العربية داخل المنظمة الأممية الكبيرة منذ تأسيسها عام 1945 وحتى تاريخ الاعتراف طيلة السنوات التي لم تكن الأمم المتحدة اعترفت باللغة العربية رسمياً، كان رؤساء الدول العربية يتحدثون اللغة العربية مع حضور مترجم، وكان أول رئيس يقوم بإلقاء خطاب سياسي قبل قرار الاعتراف هو رئيس جمهورية مصر العربية جمال عبد الناصر

.. المزيد على دنيا الوطن

Morphology (Assembly of Words)

- Study of how words are formed: such as stems, root words, prefixes, suffixes
 - [Turkish]: uygarla_,stiramadıklarımızdanmı_,ssinizcasına ← **agglutinative** language
 - [English]: “(behaving) as if you are among those whom we could not civilize”
 - [English]: unfriend → un + friend , Obamacare → Obama + care

- **WORDS** This is a simple sentence
MORPHOLOGY be
3sg
present


Part-of-Speech

- Predict which category a word is assigned to in accordance with its syntactic functions.

PART OF SPEECH	DT	VBZ	DT	JJ	NN
WORDS	This	is	a	simple	sentence
MORPHOLOGY		be 3sg present			


Syntax

- Study of how words and **morphemes** combine to form larger units such as **phrases** and **sentences**.
 - Constituency Grammars
 - Dependency Grammars



Semantics

- Study meaning of words, phrases, sentences, or larger units (w/ discourse)
 - Named entity recognition
 - Word sense disambiguation
 - Semantic role labeling



Discourse


- Analysis of language “beyond the sentence”

<> analysis of sounds (phonetics)

<> analysis of words (morphology)

<> analysis of meaning (semantics)

<> analysis of word order (syntax)




Example for Comparison

- Sentence: “Can you pass me some salt?”
- Syntax: this is a question.
- Semantic: this is asking a person’s capability.
- Pragmatic: this is a request.

Where are we now for NLP
research?

Hallucinations of LLMs

- LLMs generate information that is neither present in nor correctly inferred from their training data
- Why hallucinating?
 - Fact or fiction
 - Misinformation in inputs
 - Mix up entities or relations
 - Outdated knowledge
 - ...



Reasoning Errors of LLMs

Sort the following words alphabetically: List: hypochlorite ponderosa phone credulity

Thought 1: I should start by looking at the first letter of the words in the list. The first letter: "hypochlorite": "h" (8). "ponderosa": "p" (16). "phone": "p" (16). "credulity": "c" (3).

Thought 2: We now have: (3) "credulity" < (8) "hypochlorite" < (16) ["ponderosa" ? "phone"].

Thought 3: Now let's sort this subpart ["ponderosa" ? "phone"] by looking at their second letters. The second letter: "ponderosa": "o" (15). "phone": "h" (8).

Thought 4: **(MISTAKE)** We now have: (8) "phone" < (15) "ponderosa" for the subpart. Hence, we have "credulity" < "phone" < "ponderosa".

Thought 5: I have now sorted all the words. The answer is credulity hypochlorite phone ponderosa

Table 1: Example of a CoT trace for the word sorting task. There is a mistake in Thought 4: the ordering "credulity" < "phone" < "ponderosa" is missing the word *hypochlorite*.

In this Class, we Ask:

- Highly focus on state-of-the-art NLP models like large language models (LLMs)
- Why do current LLMs **work uncannily well** sometimes?
- Why do current LLMs still **fail**?
- How can we
 - **create NLP systems for various tasks,**
 - **identify their strengths and weaknesses,**
 - **make appropriate improvements,**
 - and **achieve whatever we want to do with NLP?**

Why is NLP Hard?

- Ambiguity
- Scale
- Sparsity
- Variation
- Expressivity
- Unmodeled variables
- Unknown representations \mathbb{R}

Ambiguity

- Ambiguity at multiple levels:
 - Words with multiple meanings: *bank* (finance or river?)
 - Domain-specific meanings: *latex*
 - Part-of-speech: *chair* (noun or verb?)
 - Multiple meanings: *I made her duck.* →
 - I cooked waterfowl for her
 - I cooked waterfowl belonging to her
 - I created the (plaster?) duck she owns
 - I magically turned her into a duck




More Challenges of “Words”


- Segmenting text into words (e.g., Thai example)
- Morphological variation (e.g., Turkish example)
- Multiword expressions: *take out, make up*
- New words (e.g., *covid*) and changing meanings (e.g., *Bachelor*: a young knight → an academic degree)

Ambiguity + Scale


- Scale up to different **languages** & **tasks**.



Syntax Ambiguity



vs.



Syntactic parsing

Part-of-Speech

Words

Morphology + Syntax

- A ship-shipping ship, shipping shipping-ships



Syntax + Semantic

We saw the woman with the telescope wrapped in paper.

- Who has the telescope?
- Who or what is wrapped in paper?
- An event of perception, or an assault?

Semantic Ambiguity

- Every fifteen minutes a woman in this country gives birth.

Semantic Ambiguity

- Every fifteen minutes a woman in this country gives birth. Our job is to find this woman, and stop her!

- Groucho Marx



Dealing with Ambiguity


- How can we **model ambiguity** and **choose the correct analysis** in context?
 - Non-probabilistic methods (Finite-state machines for morphology, CKY parsers for syntax) return *all possible analyses*.
 - Probabilistic models (HMMs for POS tagging, PCFGs for syntax) and algorithms (Viterbi, probabilistic CKY) return *the best possible analysis*
- But the “best” analysis is only good if our probabilities are accurate. Where do they come from?

Why is NLP Hard?

- Ambiguity
- Scale
- Sparsity
- Variation
- Expressivity
- Unmodeled variables
- Unknown representations \mathbb{R}

Corpora


- **A corpus is a collection of text**
 - Often annotated in some way
 - Sometimes just lots of text
- **Examples**
 - Penn Treebank: 1M words of parsed WSJ
 - Canadian Hansards: 10M+ words of aligned French/English sentences
 - Web: billions of words
 - Amazon reviews



Corpus-based Methods

- Give us statistical information by counting
 - Example: Syntax parsing

NPs under S



NPs under VP




TABLE 1.

label	long name	example
NN	singular noun	pyramid
NNS	plural noun	lectures
NNP	proper noun	Khufu
VBD	past tense verb	claimed
VBZ	3rd person singular present tense verb	is
VBP	non-3rd person singular present tense verb	have
VBN	past participle	found
PRP	pronoun	they
PRP\$	possessive pronoun	their
JJ	adjective	public
IN	preposition	in
	complementizer	that
DT	determiner	the

Statistical NLP

- Like most other parts of AI, NLP is dominated by statistical methods
 - Typically more robust than earlier rule-based methods
 - Relevant statistics/probabilities are *learned from data*
 - Normally requires lots of data about any particular phenomenon

Statistical NLP

- Sparse data due to *Zipf's Law*
 - To illustrate, let's look at the frequencies of different words in a large text corpus
 - Assume “word” is a string of letters separated by spaces

Statistical NLP

- Most frequent words in the English Europarl corpus (out of 24m word tokens)

any word		nouns	
Frequency	Token	Frequency	Token
1,698,599	the	124,598	European
849,256	of	104,325	Mr
793,731	to	92,195	Commission
640,257	and	66,781	President
508,560	in	62,867	Parliament
407,638	that	57,804	Union
400,467	is	53,683	report
394,778	a	53,547	Council
263,040	I	45,842	States

Word Counts: Raw Words



But also, out of 93,638 distinct words (word types), 36,231 occur only once.

Examples:

- cornflakes, mathematicians, fuzziness, jumbling
- pseudo-rapporteur, lobby-ridden, perfunctorily,
- Lycketoft, UNCITRAL, H-0695
- policyfor, Commissioneris, 145.95, 27a

Plotting Word Frequencies





- Order words by frequency. What is the frequency of n_{th} ranked word?



Zipf's Law

Implications:

- Regardless of how large our corpus is, there will be a lot of infrequent (and zero-frequency!) words
- We need to find clever ways to estimate probabilities for things we have rarely or never seen




Why is NLP Hard?

- Ambiguity
- Scale
- Sparsity
- Variation
- Expressivity
- Unmodeled variables
- Unknown representations \mathbb{R}

Variation

- Suppose we train a part of speech tagger or a parser on the Wall Street Journal




- What will happen if we try to use this tagger/parser for social media?

@_rkpnrnte hindi ko alam babe eh, absent ako
kanina I'm sick rn hahaha 🤔👏

Variation

- Training data comes from diverse domains
- Potential distributional shift between train/test data



Why is NLP Hard?

- Ambiguity
- Scale
- Sparsity
- Variation
- Expressivity
- Unmodeled variables
- Unknown representations \mathcal{R}

Expressivity


- Not only can one form have different meanings (ambiguity) but **the same meaning can be expressed with different forms:**
 - **She gave the book to Tom vs. She gave Tom the book**
 - **Some kids popped by vs. A few children visited**
 - **Is that window still open? vs. Please close the window**
 -

Unmodeled Variables

- World knowledge
 - I dropped the glass on the floor and it broke
 - I dropped the hammer on the glass and it broke



“Drink this milk”




Unmodeled Meaning Representation

- Very difficult to capture what is \mathcal{R} , since we don't even know how to represent the knowledge a human has/needs:
 - What is the “meaning” of a word or sentence?
 - How to model context?
 - Other general knowledge?

Symbolic and Probabilistic NLP


Logic-based/Rule-based NLP



~90s





Statistical NLP



Connectionist NLP to Generative AI

Learned Features/Representations



In last 3-4 years

→


Generating tokens

ChatGPT

Share

Can you suggest the local restaurants in Madison, WI?

Here are some top-rated local restaurants in **Madison, WI**, spanning a variety of styles and cuisines—each offering a great taste of the city's vibrant culinary scene:



Fairchild

Closed until 4:00 PM · \$50-100 · 4.7 (370 reviews)

Creative, James Beard–Award–winning bistro; inventive pastas in a neighborhood-bistro comfort style.


Directions

Website

Call


Probabilistic and Connectionist NLP

Engineered Features/Representations



~mid 2010s

Learned Features/Representations



NLP vs Machine Learning

- To be successful, a machine learner needs bias/assumptions; for NLP, that might be linguistic theory/representations.
- \mathcal{R} is not directly observable.
- Symbolic, probabilistic, and connectionist ML have all seen NLP as a source of inspiring applications.

NLP vs Linguistics

- NLP must process NL data as found in the world
- NLP \approx computational linguistics
- Linguistics has begun to use tools originating in NLP!

Fields with Connections to NLP

- Machine learning
- Deep Learning
- Linguistics
- Cognitive science
- Information theory
- Data science
- Political science
- Psychology
- Economics
- Education

NLP System Building Overview

A General Framework for NLP Systems


- Formally, create a function to map an **input X (language)** into an **output Y** . Examples:

<u>Input X</u>	<u>Output Y</u>	<u>Task</u>
Text	Text in Other Language	Translation
Text	Response	Dialog
Text	Label	Text Classification
Text	Linguistic Structure	Language Analysis

- To create such a system, we can use
 - Manual creation of rules
 - Machine learning from paired data $\langle X, Y \rangle$

Train, Development, Test

- When creating a system, use three sets of data




Training Set: Generally larger dataset, used during system design, creation, and learning of parameters.


Development ("dev", "validation") Set: Smaller dataset for testing different design decisions ("hyper-parameters").

Test Set: Dataset reflecting the final test scenario, do not use for making design decisions.

Machine Learning





Learning Algorithm




Learned
Feature Extractor f
Scoring Function w

$$\mathbf{h} = f(\mathbf{x})$$

$$s = \mathbf{w} \cdot \mathbf{h}$$




Inference Algorithm



Bag of Words (BOW)


Convert each word into a one-hot vector:



Features f are based on word identity, weights w learned

Which problems mentioned before would this solve?

Neural Network Models



Class Goals


- Learn in detail about **building NLP systems from a research perspective**
- Learn basic and advanced topics in **machine learning and neural network approaches** to NLP
- Learn **basic linguistic knowledge** useful in NLP, and learn methods to **analyze linguistic structure**
- See several case studies of **NLP applications** and learn how to identify unique problems for each
- Learn how to debug **when and where NLP systems fail**, and build improvements based on this

Prior Background & Prerequisite

- This is an **advanced AI** course. Here are some recommendations:
 - Take at least one **intro-level AI** course
 - Basic statistics/probability/linear algebra
 - Python programming, Deep Learning Library (e.g., PyTorch)


Roadmap Going Forward

Topic 1: NLP Fundamentals




- Word Representations and Text Classification
- Language Modeling
- Attention and Transformers

Topic 2: Large Language Models




- **Pre-training:** masked language modeling, autoregressive LMs
- **Post-training:** Parameter-efficient Fine-tuning (PEFT), instruction tuning, reinforcement learning from human feedback (RLHF)
- **Prompting:** In-context Learning (ICL)

Topic 3: Scaling up LLMs



- **Length scaling:** Training long-context LLMs, Test-time scaling, KV cache optimization
- **Model scaling:** Mixture of experts (MoE) in LLMs
- **Knowledge scaling:** Retrieval-Augmented Generation (RAG) of LLMs

Topic 5: Advanced Topics of LLMs




- **Cognitive Intelligence:** Reasoning, planing and verification
- **Language Agents:** Tool usage, software development, web browsing
- **Safety and Security:** Jailbreak LLMs, backdoor attack and defense of LLMs

Class Logistic

Course Website

- <https://junjiehu.github.io/cs639-spring26>



Schedule

Date	Lecture	Readings	Logistics
Module 1: Introduction to Natural Language Processing			
1/21	Lecture #1 : Introduction to NLP [slides]	<ul style="list-style-type: none">• SLP3 ch2	
1/23	Lecture #2 : Deep Learning Basics [slides]	<ul style="list-style-type: none">• Colab example• Gradient Descent (Ruder 2016)• Dropout (Srivastava et al. 2014)	
1/26	Lecture #3 : Text Classification [slides]	<ul style="list-style-type: none">• SLP3 ch4• E ch2-4• Dani et al. 2017	
1/28	Lecture #4 : Word Representations [slides]	<ul style="list-style-type: none">• SLP3 ch 6• E ch 14	

Class Content Format

- **Before class:** For some classes, do recommended reading
- **During class:**
 - *Lecture/Discussion:* Go through material and discuss
 - *Code/Data Walk:* The instructor will sometimes walk through some demonstration code, data, or model predictions

Assignments

- **Individual** assignments (Assignments 1, 2, 4)
 - Each individual will have **three late days** in total for the three individual assignments.
- **Group** assignments (Assignments 3, 5)
 - Each group should consist of **five or six members.**
 - Another **three late days** for Assignment 3 are given to the group.

Assignments

- **Assignment 1 - Text Classifier / Questionnaire:** *Individually* implement a text classifier, and indicate your project topic (15%)
- **Assignment 2 - Subword Tokenizer:** *Individually* implement a subword tokenizer (15%)
- **Assignment 3 - Project Mid-review (Re-implementation / Progress report):** Re-implement and reproduce results from a recently published NLP paper (20%)
- **Assignment 4 - Mini-GPT:** *Individually* implement a mini-GPT model (20%)
- **Assignment 5 - Final Project:** Perform a group project that either (1) improves on state-of-the-art, or (2) applies NLP models to an ML task. Have an oral presentation and write a report. (30%)

Instructors

- **Instructor:**
 - Junjie Hu (jhu@cs.wisc.edu)
- **TAs:**
 - Ishita Kakkar (ikakkar@wisc.edu)
 - Haoyue Bai (haoyue.bai@wisc.edu)
- **Office Hours:** Wednesday, and Friday (TBD)
- **Website:** <https://junjiehu.github.io/cs639-spring26>
- **Piazza:** <https://piazza.com/wisc/spring2026/cs639008>
- **Canvas:** <https://canvas.wisc.edu/courses/500336/>
- **Assignments:** <https://github.com/JunjieHu/cs639-homework>

Thanks, Any Questions?